

SYNAPSE
MEDICAL ACADEMY

৪৮তম বিশেষ বিসিএস (স্বাস্থ্য)

Dental Part

প্রশ্ন, ও সমাধান



পার্ট-২: ডেন্টাল অংশ

101. Which one is correct for TMJ disorder?

- ক) Disc displacement
- খ) Ankylosis
- গ) Common in long term anterior teeth missing
- ঘ) TMJ bite appliance is always essential

সঠিক উত্তর: ক) Disc displacement

102. True adhesion occurs in the following materials with tooth structure —

- ক) Amalgam
- খ) Gold inlay
- গ) Polycarboxylate cement
- ঘ) Titanium alloy

সঠিক উত্তর: গ) Polycarboxylate cement

103. Which cell is decreased profoundly in case of AIDS?

- ক) B-lymphocyte
- খ) CD8 lymphocyte
- গ) CD4 lymphocyte
- ঘ) T lymphocyte

সঠিক উত্তর: গ) CD4 lymphocyte

104. Which organism can cause infective endocarditis after dental procedure?

- ক) E. coli
- খ) Viridans streptococci
- গ) Clostridium tetani
- ঘ) Bacillus species

সঠিক উত্তর: খ) Viridans streptococci

105. What is an appropriate approach for managing deep caries close to pulp?

- ক) Immediate pulp capping
- খ) Complete caries removal and direct pulp capping
- গ) Indirect pulp capping
- ঘ) Pulpectomy

সঠিক উত্তর: গ) Indirect pulp capping

106. In sterilization —

- ক) Spore bearing bacteria are removed by boiling water for 1 hour
- খ) Sharp instruments are sterilized by hot air sterilizer
- গ) Blunt instruments are sterilized by boiling
- ঘ) Cotton can be sterilized by autoclave

সঠিক উত্তর: খ) Sharp instruments are sterilized by hot air sterilizer

107. Marsupialization of jaw cyst applies —

- ক) In case of infected cyst
- খ) In a very large cyst with a chance of bone fracture
- গ) In case of unicystic ameloblastoma
- ঘ) When cyst is away from vital structure

সঠিক উত্তর: খ) In a very large cyst with a chance of bone fracture

108. What is the common cause of tooth sensitivity after restoration?

- ক) Use of high-speed handpiece with less irrigation
- খ) Overuse of fluoride
- গ) Occlusal adjustment
- ঘ) Adequate irrigation in etching

সঠিক উত্তর: ক) Use of high-speed handpiece with less irrigation

109. What is the primary mechanism by which fluoride prevents dental caries?

- ক) By increasing enamel porosity
- খ) By enhancing bacterial growth
- গ) By removing plaque completely
- ঘ) By promoting remineralization and inhibiting demineralization

সঠিক উত্তর: ঘ) By promoting remineralization and inhibiting demineralization

110. Which of the following is a mass-level approach for preventing both dental caries and periodontal disease?

- ক) Clinical diagnosis
- খ) Dental sealants
- গ) Oral health education and awareness programs
- ঘ) Screening of caries and periodontitis

সঠিক উত্তর: গ) Oral health education and awareness programs

111. Hypomineralized structure of enamel is —

- ক) Enamel rod
- খ) Enamel lamella
- গ) Gnarled enamel
- ঘ) Surface enamel

সঠিক উত্তর: খ) Enamel lamella

112. Skeletal muscle is present in the following viscera —

- ক) Bronchi
- খ) The diaphragm
- গ) Blood vessels
- ঘ) Stomach

সঠিক উত্তর: খ) The diaphragm

113. Which one is Maxillary antral pathology?

- ক) Nasal Polyp of antral lining
- খ) Osteogenic Sarcoma
- গ) Glioma
- ঘ) Blastoma

সঠিক উত্তর: ক) Nasal Polyp of antral lining

114. In metabolic acidosis —

- ক) pH is increased
- খ) Primary event is increased HCO_3^-
- গ) Compensation is by hyperventilation
- ঘ) Correction is by respiratory system

সঠিক উত্তর: গ) Compensation is by hyperventilation

115. Non odontogenic cyst is —

- ক) Nasolabial tumor
- খ) Large radicular cyst
- গ) Incisive canal cyst
- ঘ) Small dentigerous cyst

সঠিক উত্তর: গ) Incisive canal cyst

116. Alveolar bone is —

- ক) An immature type of bone
- খ) A part of periodontium
- গ) Derived from 1st pharyngeal arch
- ঘ) Found in edentulous ridge

সঠিক উত্তর: খ) A part of periodontium

117. The most critical aspect in designing an oral health education program for rural communities is —

- ক) Use of technical terminology
- খ) Number of dentists involved
- গ) Culture and literacy
- ঘ) Complexity of biostatistics

সঠিক উত্তর: গ) Culture and literacy

118. Fillers are added to composite resin to increase —

- ক) Working time
- খ) Wear resistance
- গ) Hydrophilic properties
- ঘ) Expansion

সঠিক উত্তর: খ) Wear resistance

119. In TMJ ankylosis, there may be —

- ক) Micrognathia

- খ) Anterior open bite
- গ) Retrognathia of maxilla
- ঘ) Easy lateral movement of jaw

সঠিক উত্তর: ক) Micrognathia

120. What is the critical post operative instruction for a patient with new restoration?

- ক) Avoid eating for 24 hours
- খ) Use a soft bristled tooth brush
- গ) Avoid chewing on the restoration until anesthesia wears off
- ঘ) Rinse with a strong alcoholic mouth wash immediately

সঠিক উত্তর: গ) Avoid chewing on the restoration until anesthesia wears off

121. Pericoronitis of 3rd molar gum —

- ক) Can cause tongue oedema
- খ) Can cause lock jaw
- গ) Can cause cellulitis
- ঘ) Can cause impacted tooth

সঠিক উত্তর: গ) Can cause cellulitis

122. Syncope relates to —

- ক) Hyperglycemia
- খ) Prolong bleeding
- গ) Cerebral hypoxia
- ঘ) Pain and fear

সঠিক উত্তর: গ) Cerebral hypoxia

123. In chronic osteomyelitis —

- ক) Sequestrectomy needed
- খ) Dredging method required
- গ) Enucleation needed
- ঘ) Profuse bleeding occurs

সঠিক উত্তর: ক) Sequestrectomy needed

124. Which one is correct regarding mobility of teeth?

- ক) It is common in uncontrolled DM
- খ) It is common in bruxism
- গ) Allogenic bone graft is always a good choice
- ঘ) Teeth splinting is the choice of treatment

সঠিক উত্তর: ঘ) Teeth splinting is the choice of treatment

125. Mental nerve block anesthetises —

- ক) Floor of the mouth
- খ) Tip of the tongue

গ) Lower lip

ঘ) Part of half of upper lip

সঠিক উত্তর: গ) Lower lip

126. Content of internal ear includes —

ক) Semicircular canal

খ) Stapes

গ) Chorda tympani nerve

ঘ) Eustachian tube

সঠিক উত্তর: ক) Semicircular canal

127. Which one is not a Dental emergency?

ক) Anaphylactic shock

খ) Syncope

গ) Alveolar osteitis

ঘ) Dislodgement of molar in oral cavity

সঠিক উত্তর: গ) Alveolar osteitis

128. Which one is true for Alveolar bone fracture?

ক) Common in female fall from height

খ) Miniplate fixation is essential

গ) Teeth involved are extracted

ঘ) Splinting is quite useful

সঠিক উত্তর: ঘ) Splinting is quite useful

129. Which one is an allergic reaction in facial area only?

ক) Angioneurotic oedema

খ) Vasovagal shock with itchy skin

গ) Anaphylaxis

ঘ) Allergic stomatitis

সঠিক উত্তর: ক) Angioneurotic oedema

130. Implant joint with bone is called —

ক) Biofusion

খ) Osseo implantation

গ) Osseo integration

ঘ) Implant cementosis

সঠিক উত্তর: গ) Osseo integration

131. Curve of Spee is used for —

ক) Jaw relation

খ) Balanced occlusion

গ) Smile design

ঘ) Hardness of denture

সঠিক উত্তর: খ) Balanced occlusion

132. Body water is regulated by —

ক) ADH

খ) Cortisol

গ) Growth hormone

ঘ) Thyrotropin releasing hormone

সঠিক উত্তর: ক) ADH

133. For the disinfection of alginate impression which one is commonly used?

ক) Formaldehyde

খ) Ethylene oxide

গ) 20% Glutaraldehyde

ঘ) 2% Glutaraldehyde

সঠিক উত্তর: ঘ) 2% Glutaraldehyde

134. In Hypovolemic shock —

ক) Start with any IV fluid

খ) Blood transfusion is always essential

গ) IM adrenaline is important as a first step

ঘ) The patient never dies

সঠিক উত্তর: ক) Start with any IV fluid

135. Main reason for endodontic failure —

ক) Incorrect diagnosis with CBCT

খ) Poor access cavity preparation

গ) Use of hand instruments

ঘ) Use of endomotor

সঠিক উত্তর: খ) Poor access cavity preparation

136. Stratified squamous epithelium is located in —

ক) Nasal cavity

খ) Oral cavity

গ) Naso pharynx

ঘ) Laryngopharynx

সঠিক উত্তর: খ) Oral cavity

137. Dental _____ is trained to diagnose and treat basic dental conditions under supervision.

ক) Hygienist

খ) Technician

গ) Assistant

ঘ) Therapist

সঠিক উত্তর: ক) Hygienist

138. Which one is true for Hyperplastic gingivitis?

- ক) It is often associated with long term use of drugs like phenytoin
- খ) Scaling and antibiotic can easily cure the hyperplastic gum
- গ) Gingivectomy by electrocautery is always essential
- ঘ) Oral steroid is effective for this cause

সঠিক উত্তর: ক) It is often associated with long term use of drugs like phenytoin

139. Time dependent flow is known as —

- ক) Viscosity
- খ) Creep
- গ) Resilience
- ঘ) Rheology

সঠিক উত্তর: খ) Creep

140. Odontogenic tumor are well managed by —

- ক) Radiotherapy
- খ) Radiotherapy with chemotherapy
- গ) Excision
- ঘ) Intralesional alcohol Injection

সঠিক উত্তর: গ) Excision

141. Le Fort fracture causes —

- ক) Elongated face
- খ) Orbital floor fracture with blindness
- গ) Bilateral condylar fracture
- ঘ) Haematoma in cheek

সঠিক উত্তর: ক) Elongated face

142. The key limitation of field surveys in rural dental health program is —

- ক) High availability of data
- খ) Poor diagnostic accuracy
- গ) Over qualification of local workers
- ঘ) Urban bias in fluoride protocols

সঠিক উত্তর: খ) Poor diagnostic accuracy

143. Which one is not oral specific ulcer or lesion?

- ক) TB ulcer in the palate
- খ) HPV warts in oral cavity
- গ) Chronic hyperkeratosis in betel chewer
- ঘ) Aphthous ulcer in cheek

সঠিক উত্তর: ক) TB ulcer in the palate

144. In case of large chronic oro-antral fistula —

- ক) Caldwell-Luc surgery alone needed
- খ) Fat graft in large opening is useful
- গ) Food accumulates into maxillary antrum leading to severe antral bleeding
- ঘ) Profuse bleeding occurs per fistula

সঠিক উত্তর: খ) Fat graft in large opening is useful

145. Severe facial cellulitis —

- ক) Causes small localized pus
- খ) Is related to uncontrolled DM and root Infection
- গ) Essentially requires Tracheostomy
- ঘ) Causes base of tongue pushed back blocking the airway

সঠিক উত্তর: খ) Is related to uncontrolled DM and root Infection

146. In oral malignancy —

- ক) Basal cell carcinoma is more common
- খ) Excision is quite useful treatment in carcinoma in situ
- গ) Very painful lesional form in the beginning
- ঘ) SCC involves connective tissue

সঠিক উত্তর: খ) Excision is quite useful treatment in carcinoma in situ

147. Adrenalin in local anesthesia causes —

- ক) Systemic toxicity
- খ) Less bleeding surgical field
- গ) Bradycardia
- ঘ) Respiratory depression

সঠিক উত্তর: খ) Less bleeding surgical field

148. Which one is true for Congenital facial cleft?

- ক) Repair of cleft lip at the age of 1.5 year
- খ) Repair of cleft palate at the age of 12 months
- গ) Alveolar bone graft is not very important
- ঘ) Speech defect may occur in cleft lip

সঠিক উত্তর: খ) Repair of cleft palate at the age of 12 months

149. Bite mark analysis is most commonly associated with the following —

- ক) Occupational screening
- খ) Orthodontic purpose
- গ) Criminal investigations and assault cases
- ঘ) For proper treatment plan

সঠিক উত্তর: গ) Criminal investigations and assault cases

150. Which lesions show soap bubble appearance on radiograph?

- ক) Radicular cyst
- খ) Odontogenic Keratocyst
- গ) Osteosarcoma
- ঘ) Chronic osteomyelitis

সঠিক উত্তর: খ) Odontogenic Keratocyst

151. Haploid number of chromosomes are present in —

- ক) Oogonium
- খ) Primary spermatocyte
- গ) Spermatid
- ঘ) Zygote

সঠিক উত্তর: গ) Spermatid

152. MTA is used for —

- ক) Apexification of only dentition
- খ) Apexification of permanent tooth only
- গ) Apexification of primary tooth only
- ঘ) Apexogenesis of any dentition

সঠিক উত্তর: খ) Apexification of permanent tooth only

153. Baroreceptor feedback mechanism decreases blood pressure by —

- ক) Vasoconstriction
- খ) Vagus nerve
- গ) Increasing peripheral resistance
- ঘ) Sympathetic stimulation

সঠিক উত্তর: খ) Vagus nerve

154. Symptom of acute myocardial infarction is —

- ক) Chest pain radiated to scalp
- খ) High fever
- গ) Shortness of breath
- ঘ) Absence of nausea and vomiting

সঠিক উত্তর: গ) Shortness of breath

155. Recommended maximum dose of 2% Lidocaine with vasoconstrictor is —

- ক) 4.4 mg/kg
- খ) 7 mg/kg
- গ) 10.4 mg/kg
- ঘ) 15 mg/kg

সঠিক উত্তর: খ) 7 mg/kg

156. Features of plasma leakage in dengue fever is —

- ক) Hypertension

- খ) Narrow pulse pressure
- গ) Bradycardia
- ঘ) Decreased hematocrit

সঠিক উত্তর: খ) Narrow pulse pressure

157. Which of the following reaction takes place in phase-1 biotransformation?

- ক) Methylation
- খ) Hydrolysis
- গ) Sulphate conjugation
- ঘ) Acetylation

সঠিক উত্তর: খ) Hydrolysis

158. Which one is true for Dental Implant?

- ক) Good in chronic periodontitis cure
- খ) CBCT can give a better idea about bone quality
- গ) OPG is enough for bone height and width
- ঘ) Implant with natural tooth restoration is also good

সঠিক উত্তর: খ) CBCT can give a better idea about bone quality

159. Knoop, Rockwell, Vickers, Brinell tests are done to measure material's —

- ক) Toughness
- খ) Tensile strength
- গ) Hardness
- ঘ) Thermal conductivity

সঠিক উত্তর: গ) Hardness

160. Which one is correct?

- ক) CBCT is good for soft tissue study
- খ) X-ray is good for mandibular tumor
- গ) CT Scan with contrast is good for oral cancer and Neck nodes studies
- ঘ) OPG can give a good image of tongue carcinoma

সঠিক উত্তর: গ) CT Scan with contrast is good for oral cancer and Neck nodes studies

161. Lack of insulin is characterized by —

- ক) Alkalosis
- খ) Cellular dehydration
- গ) Hypoglycemia
- ঘ) Water diuresis

সঠিক উত্তর: খ) Cellular dehydration

162. Stainless steel loses its resistance to corrosion if heated to a high temperature due to precipitation of —

- ক) Carbon carbide
- খ) Chromium carbide

- গ) Iron carbide
- ঘ) Nickel carbide

সঠিক উত্তর: খ) Chromium carbide

163. Which one is true for Jaw benign tumor?

- ক) Osteoma is common
- খ) Chronic osteomyelitis is often associated
- গ) Ameloblastoma is more common in maxilla
- ঘ) Multilocular Ameloblastoma is more common in mandible

সঠিক উত্তর: ঘ) Multilocular Ameloblastoma is more common in mandible

164. In full denture —

- ক) Initial impression is taken by rubber base material
- খ) Post dam is important for good retention of upper full denture
- গ) Rubber cap in upper full denture is a simple method of good retention
- ঘ) Implant supported lower full denture is essential

সঠিক উত্তর: খ) Post dam is important for good retention of upper full denture

165. Myocardial infarction will lead to increase in serum level of following enzyme —

- ক) Alanine aminotransferase
- খ) Creatine kinase
- গ) Glucose-6-phosphatase
- ঘ) Alkaline phosphatase

সঠিক উত্তর: খ) Creatine kinase

166. Which of the following factor causes collapse of the lung?

- ক) Surfactant
- খ) Negative intrapleural pressure
- গ) Elastic fibers of the lungs
- ঘ) Residual volume

সঠিক উত্তর: গ) Elastic fibers of the lungs

167. Which of the following is primarily Lymphoid organ?

- ক) Spleen
- খ) Palatine tonsil
- গ) Bone marrow
- ঘ) Lymph node

সঠিক উত্তর: গ) Bone marrow

168. In case of oral bleeding —

- ক) Factor VIII deficiency can be treated by suturing and pack
- খ) Secondary bleeding starts after 24 hours
- গ) Vessel ligation is important in excessive bleeding

ঘ) Purpura can be treated in outdoor clinic with electrocautery

সঠিক উত্তর: গ) Vessel ligation is important in excessive bleeding

169. Which of the following agent is used with gingival retraction cord?

ক) Aluminium chloride

খ) Formaldehyde

গ) Benzethonium chloride

ঘ) Na fluoride

সঠিক উত্তর: ক) Aluminium chloride

170. In Trigeminal Neuralgia —

ক) Sharp continuous pain occurs

খ) Pain increase with cold touch

গ) Pain refers to neck

ঘ) RF is only option of treatment

সঠিক উত্তর: খ) Pain increase with cold touch

171. Which sterilization method is not recommended for spore containing instruments?

ক) Autoclave

খ) Hot air oven

গ) Tyndalization

ঘ) Ultraviolet radiation

সঠিক উত্তর: ঘ) Ultraviolet radiation

172. What does the principle of non maleficence mean in dental practice?

ক) Do no harm

খ) Always obey the patient

গ) Making documents confidential

ঘ) Avoid costly materials

সঠিক উত্তর: ক) Do no harm

173. Glandular tumor —

ক) Is common in submental salivary gland

খ) Causes pus formation

গ) Requires broad spectrum antibiotic

ঘ) Essentially requires biopsy to diagnose the tumor

সঠিক উত্তর: ঘ) Essentially requires biopsy to diagnose the tumor

174. What informed consent is legally required in dentistry?

ক) Only the dentist's signature

খ) A written agreement with short explanation

গ) Explanation of risk, benefits and alternative before treatment

ঘ) Verbal approval after treatment

সঠিক উত্তর: গ) Explanation of risk, benefits and alternative before treatment

175. Risk factor for wound infection is —

- ক) Jaundice
- খ) Poor perfusion
- গ) Hypertension
- ঘ) Hyperlipidemia

সঠিক উত্তর: খ) Poor perfusion

176. Acute Odontogenic pain is caused by —

- ক) Chronic open pulpitis
- খ) Chronic close pulpitis with apical lesion
- গ) Acute close pulpitis
- ঘ) Cusp fracture

সঠিক উত্তর: গ) Acute close pulpitis

177. Which one causes facial pain?

- ক) TMJ disorder
- খ) Temporal arteritis in mandible
- গ) Glossopharyngeal neuralgia
- ঘ) Herpes zoster in chest

সঠিক উত্তর: ক) TMJ disorder

178. Maximum tooth tissue reduction is needed for —

- ক) PFM crown
- খ) Zirconia crown
- গ) Metal crown
- ঘ) All ceramic crown

সঠিক উত্তর: ঘ) All ceramic crown

179. Which of the following drug acts by inhibiting nucleic acid synthesis?

- ক) Clindamycin
- খ) Doxycycline
- গ) Amoxicillin
- ঘ) Metronidazole

সঠিক উত্তর: ঘ) Metronidazole

180. The property that makes acrylic resin suitable for denture bases is —

- ক) High thermal conductivity
- খ) High solubility
- গ) Lightweight and easily moldable
- ঘ) Needs no polymerization

সঠিক উত্তর: গ) Lightweight and easily moldable

181. Final finishing of glass ionomer restoration is done after —

- ক) 7.5 minutes
- খ) 24 minutes
- গ) 30 minutes
- ঘ) 1 hour

সঠিক উত্তর: ঘ) 1 hour

182. In regenerative endodontics recommended irrigation protocol is —

- ক) NaOCl + EDTA
- খ) CHX + Ca(OH)₂
- গ) EDTA only
- ঘ) Saline + CHX

সঠিক উত্তর: ক) NaOCl + EDTA

183. Which of the following factor promotes hard tissue mineralization?

- ক) Alkaline phosphatase
- খ) Inadequate energy
- গ) Pyrophosphate
- ঘ) Carboxylase

সঠিক উত্তর: ক) Alkaline phosphatase

184. Cellular cementum is —

- ক) Primary cementum
- খ) More mineralized
- গ) Found in apical one-third of root
- ঘ) Main media of anchorage

সঠিক উত্তর: গ) Found in apical one-third of root

185. Which one is true for Precancerous lesion?

- ক) Leukoplakia is less common
- খ) Oral submucous fibrosis produced lock jaw
- গ) Erythroplakia is more prone to develop cancer
- ঘ) Antifungal drugs are essential for treatment

সঠিক উত্তর: গ) Erythroplakia is more prone to develop cancer

186. Most important property required for dental implant is —

- ক) Durability
- খ) Biocompatibility
- গ) Resilience
- ঘ) Yield strength

সঠিক উত্তর: খ) Biocompatibility

187. Alveolar group of periodontal fiber includes —

- ক) Circular group
- খ) Dento periosteal group
- গ) Inter radicular group
- ঘ) Trans septal group

সঠিক উত্তর: গ) Inter radicular group

188. Effective treatment of open bite is —

- ক) Orthodontic labial bow
- খ) Segmental jaw corrective surgery
- গ) Hawley retainer
- ঘ) Maxillary advancement surgery alone

সঠিক উত্তর: খ) Segmental jaw corrective surgery

189. Regarding caries and pulpitis —

- ক) Fluoride gel may be applied for the prevention of acute pulpitis
- খ) Acute close pulpitis causes dull pain at night
- গ) Acidogenic theory is still the best hypothesis for caries formation
- ঘ) All caries can be treated with amalgam filling

সঠিক উত্তর: ক) Fluoride gel may be applied for the prevention of acute pulpitis

190. The best dimensional stability among elastomers is —

- ক) Polyether
- খ) Polysulfide
- গ) Condensation silicon
- ঘ) Addition silicon

সঠিক উত্তর: ঘ) Addition silicon

191. First formed unmineralized dentin is —

- ক) Predentin
- খ) Mantle dentin
- গ) Circumpulpal dentin
- ঘ) Secondary dentin

সঠিক উত্তর: ক) Predentin

192. The cause of improved early strength in resin modified glass ionomers —

- ক) Water resorption
- খ) Acid-base reaction only
- গ) Light-activated resin polymerization
- ঘ) Saliva contamination

সঠিক উত্তর: গ) Light-activated resin polymerization

193. Cell rich zone of pulp contains —

- ক) Ameloblast

খ) Cementoblast

গ) Odontoblast

ঘ) Fibroblast

সঠিক উত্তর: ঘ) Fibroblast

194. Which concept of health emphasizes the ability to accomplish the social roles and responsibilities?

ক) Biomedical

খ) Holistic

গ) Psychosocial

ঘ) Ecological

সঠিক উত্তর: গ) Psychosocial

195. Morphine is contraindicated in —

ক) Acute MI

খ) Biliary colic

গ) Long bone fracture

ঘ) Diagnosed acute abdomen

সঠিক উত্তর: ঘ) Diagnosed acute abdomen

196. Facilitated diffusion —

ক) Is a form of active transport

খ) Is a downhill process

গ) Occurs without carrier protein

ঘ) Requires energy

সঠিক উত্তর: খ) Is a downhill process

197. HIV is usually transmitted through —

ক) Simple kissing

খ) Sleeping in same bed

গ) Infected blood IV injection

ঘ) Urine

সঠিক উত্তর: গ) Infected blood IV injection

198. How bleeding is controlled after tooth extraction?

ক) Clot removal and pressure pack

খ) Bone wax applied to socket

গ) Gel foam alone

ঘ) Hot water gurgling

সঠিক উত্তর: গ) Gel foam alone

199. In acute inflammation, pain occurs due to —

ক) Histamine

খ) Epinephrine

- গ) Leukotrienes
ঘ) Prostaglandins

সঠিক উত্তর: ঘ) Prostaglandins

200. Sharpey's fiber can be found in —

- ক) Enamel
খ) Dentin
গ) Pulp
ঘ) Cementum

সঠিক উত্তর: ঘ) Cementum

